
Navy.

North Sea Handling is an international company focusing on providing the maritime industry with market-leading solutions within equipment for cargo/passenger access and energy efficiency. Innovation and long-term-philosophy are keywords in our everyday work.





ROV Hangar Door

There can be several of shell openings in a ship, serving different purposes. Openings in the shell within the area of the hangar are often used for Launch and Recovery of Remote Operated Vehicles ROVs and other tools/instruments

To assure good working conditions inside the hangar both during sea voyage and during ROV operation, different kind of ROV Hangar Door concepts can be utilized.

NSH Ships Equipment delivers a wide range of different ROV Hangar Doors / Roller gates tailor made to suit with the ship and its operation conditions.

Internal Cargo Elevator

To be able to handle cargo between decks inside the ship, internal cargo elevators are an alternative. The cargo elevator can either be a stand-alone unit only acting as an elevator or it can form a watertight barrier when in stowed position fulfilling both the purpose as an elevator and watertight hatch cover.


Hatch Cover

There can be several of deck openings in a ship, serving different purposes but where each opening might pose a threat to the water and fire integrity.

Helicopter Elevator

To be able handle cargo between decks on a ship, assure flexibility and at the same time maximize the stowage volume, cargo elevators is an alternative. The cargo elevator can either be a stand-alone unit only acting as an elevator or it can form a watertight barrier when in stowed position, fulfilling both the purpose as an elevator and as a watertight hatch cover.

There are numerous fields of application for this type of equipment and where handling of helicopters between different decks with/without personnel is one example.



Launch and Recovery System for Manned/ Unmanned Tender Boat and Submarine Operations

Personnel transfers by tender boats are being more popular and where some ships are totally dependent on it. This makes the equipment very vital and where it must always work properly to assure loading and unloading of personnel in an efficient and safe way.

When the system in addition shall be able to operate different type of watercrafts with personnel inside in different sea states, there are several of additional more strict requirements which must be fulfilled and where special competence must be applied.

Side Shell Door (Top hinged garage door operated outwards)

There can be several of shell openings in a ship, serving different purposes but where each opening might pose a threat to the water integrity.









HEADQUARTER BERGEN, NORWAY

Laksevågneset 12, 5160 Bergen, Norway | +47 91 60 86 00 | contact@northseahandling.no













SERVICE POINTS - China: Hong Kong, Guangzhou, Tianjin, Dalian | Rotterdam | Dubai | Singapore | Athens